



Boss Cargo Trailers - Full Options Sheet

Color Options

- Standard Color Options in .080 Siding: White, Black, Silver, Charcoal, Blue, Indigo Blue, & Red
- Premium Color Options in .080 Siding: Green, Brandy Wine, Sahara Tan, Dark Green, Yellow, Orange, Dove Grey, Pink, Purple, Jay Blue, Pewter, Polar Grey, Water Blue, Light Green, Grayish Blue, & Polar Silver
- Limited Edition Color Options in .080 Siding: Army Green, Wooden, & Camouflage

Exterior Options

.080 thickness comes standard in 8' height. Trailers over 7'6" interior height with standard fenders and 7' interior height with corvette fenders you will have to add ATP at the bottom of the trailer for an additional charge.

- Semi-Screwless Exterior (*Screwed only on the seams*) - Standard
- Two-Tone with Slanted Anodized or ATP Divider
- Two-Tone with 24" - 48" Slanted ATP Side and Rear
- Three-Tone with 24" - 48" Slanted ATP Sides and Rear
- Cast Aluminum Front and Rear Corners with Anodized Insert Cap (*Flat Front*)
- 3" Bottom Trim in Lieu of Standard
- Red and White Reflector Tape
- 24" Tall ATP and Anodized Sides and Rear
- 12" Tall ATP and Anodized Sides and Rear
- Black ATP Stoneguard and Noseguard

- Cover Tongue with $\frac{3}{4}$ " Plywood and ATP
- Slanted V-Nose with ATP on Slant
- Slanted V-Nose with Matching Metal on Slant N/A with Polycore
- Screwless Exterior
- Riveted Exterior
- Kneewall
- Slanted Stoneguard

Additional Height

8' and up interior height requires an upgrade to a super duty ramp

- 6" Additional Height = 7' Interior Height
- 12" Additional Height = 7'6" Interior Height
- 18" Additional Height = 8' Interior Height (**8.5'-Wides ONLY**)
- 24" Additional Height = 8'6" Interior Height (**8.5'-Wides ONLY**)
- 30" Additional Height = 9' Interior Height (**8.5'-Wides ONLY**)
- 36" Additional Height = 9'6" Interior Height (**8.5'-Wides ONLY**)
- 42" Additional Height = 10' Interior Height (**8.5'-Wides ONLY**)
- Reduced Height

More Frame Options

- Upgrade to:
 - 3" Tube Floor Crossmembers
 - 4" Tube Floor Crossmembers
 - 6" Tube Floor Crossmembers
 - 8" Tube Floor Crossmembers
 - 6" Main Frame from 4" Main Frame
 - 8" Main Frame
- Recessed Tire Compartment
- Recessed Battery Compartment
- 60" Triple Tube Tongue (**6" Frames and Smaller**)
- 60" Triple Tube Tongue (**8" Frames**)

- 72" Triple Tube Tongue (***6" Frames and Smaller***)
- 72" Triple Tube Tongue (***8" Frames***)
- 84" Triple Tube Tongue
- 12" On-Center Roof Bows
- 16" On-Center Roof Bows
- 12" On-Center Wall Post
- 12" On-Center Floor Crossmembers
- Square Flat Front
- Radius Flat Front with ATP Corners
- Bull Nose (***Rounded V-Nose***) (***Must specify round or square corners***)
- 3' V-Nose (***Includes Extended Tongue + Sidewall Jack***) (***6', 7', and 8.5'-Wides ONLY***)
- 4' V-Nose (***Includes Extended Tongue + Sidewall Jack***) (***7' and 8.5'-Wides ONLY***)
- 5' V-Nose (***Includes Extended Tongue and Sidewall Jack***) (***8.5'-Wides ONLY***)
- Spare Tire Mount on Tongue
- Interior Spare Tire Mount
- Winch Plate
- Spread Axles on a Tandem Axle Trailer
- Spread Axles on a Triple Axle Trailer
- Rear Spoiler Wing with (2) 12v Angled Racing Lights
 - ***If getting double rear doors, please specify: No side; No Additional Header or Keep Sides; Add Additional 6" Header***

Axle Upgrades

- Electric Brake on Single Axle
- Spare Tire
- Upgrade to:
 - Single 5200lb Leaf Spring Axle from Single 3500lb Leaf Spring Axle
 - Single 3500lb Torsion Axle from Single 3500lb Leaf Spring Axle
 - Single 5200lb Torsion Axle from Single 3500lb Leaf Spring Axle

- Tandem 5200lb Leaf Spring Axle from Tandem 3500lb Leaf Spring Axle
- Tandem 7000lb Leaf Spring Axle from Tandem 3500lb Leaf Spring Axle with 5k Tongue Jack
- Tandem 3500lb Torsion Axle from Tandem 3500lb Leaf Spring Axles
- Tandem 5200lb Torsion Axle from Tandem 3500lb Leaf Spring Axles
- Tandem 7000lb Torsion Axle from Tandem 3500lb Leaf Spring Axles with 5k Tongue Jack
- Tandem 5200lb Torsion Axle from Tandem 5200lb Leaf Spring Axles
- Tandem 7000lb Leaf Spring Axle from Tandem 5200lb Leaf Spring Axles
- Tandem 7000lb Torsion Axle from Tandem 5200lb Leaf Spring Axles
- Triple 3500lb Torsion Axles from Tandem 3500lb Leaf Spring Axles
- Triple 5200lb Torsion Axles from Tandem 3500lb Leaf Spring Axles
- Triple 7000lb Torsion Axles from Tandem 3500lb Leaf Spring Axles
- Triple 5200lb Torsion Axles from Tandem 5200lb Leaf Spring Axles
- Triple 7000lb Torsion Axles from Tandem 5200lb Leaf Spring Axles

Jacks, Couplers, and Stabilizers

- Upgrade to:
 - 5000lb Tongue Jack from Standard 2000lb Tongue Jack
 - 7000lb Drop Leg Tongue Jack from Standard 2000lb Tongue Jack (***Cannot ship on wedge***)
- 5k Topwind Jack
- Side Wind Jack in Lieu of Standard 2000lb Tongue Jack
- 2-5/16" Coupler in Lieu of 2" Coupler (***Single Axles ONLY***)
- Adjustable 2-5/16" Coupler in Lieu of Standard 2-5/16" Coupler
- Adjustable Pintle Eye Coupler in Lieu of Standard Coupler
- Telescopic Jack
- 3500lb Electric Tongue Jack with Battery
- 5000lb Electric Tongue Jack with Battery
- Fold Down Stabilizer Jacks (***Pair***)

- 5000lb Scissor Jacks with Handle (***Pair***)
- Bogey Wheels 10” Long (***Pair***)
- Tongue Jack Caster Wheel (***Ship Loose ONLY***)

Tie Downs

- Wall Mount D-Rings
- Floor Mount D-Rings (***Steel Backer***)
- Wall E-Track
- Floor E-Track (***Steel Backer***)

Side Doors, Ramp Doors, Flaps, and Double Rear Doors

- Double Rear Doors (***Barn Doors***) in Lieu of Ramp Door (***Deletes Beavertail on 8.5’-Wides***)
- Solid Rear Wall ILO Ramp and Flap (***Deletes Beavertail on 8.5’-Wides***)
- Additional 24” x 78” Side Door with Flush Lock
- Additional 36” x 66” 7’-Wides
- Additional 36” x 78” 8.5’-Wides
- Additional 48” x 78” Side Door with Flush Lock
- Upgrade to 48” x 78” Side Door ILO 36” (***8.5’-Wides***)
- Upgrade to 36’ x 84” Side Door from 36” x 78”
- Upgrade to 48” x 84” Side Door from 48” x 78”
- 24” Factory Built Side Door with Bar Lock (***5’-Wides***)
- 54” x 48” Escape Door with Flush Lock
- Upgrade to Heavy Duty Ramp Door (***4500lb Capacity***)
- Upgrade to Super Duty Ramp Door (***7000lb Capacity***) (***Requires Double Spring Assist***)
- Double Halfwall Doors
- Barlock on Side Door
- Barlock on Escape Door
- 60” x 78” Double Side Door in ILO Standard Door
- Additional 60” x 78” Double Side Door
- 48” Ramp Door in the V-Nose

- 60" Ramp Door in the V-Nose
- 48" Ramp Side Door ILO STD Side Door
- 48" Ramp Side Door in Addition to STD Side Door
- 60" Ramp Side Door ILO STD Side Door
- 60" Ramp Side Door in Addition to STD Side Door
- RV Pull-Out Step
- Steel Transition Flap to Cover Ramp Door Hinge
- 36" Ramp Door Flap with ATP Supports and 3" Bumpers and Double Spring Assist on Ramp Door
- 48" Ramp Door Flap with ATP Supports and 3" Bumpers and Double Spring Assist on Ramp Door
- Wide Ramp Door (***95-½" Wide Opening***)
- Gullwing Door (***Up to 10' Wide***)
- Gullwing Escape Door with Removable Wheel Wall (***6' Height ONLY***)
- Wheel Wall 24" x 18" with ATP or RTP
- Additional Ramp Hinge
- ATP on 16" Flap **ONLY**

Interior Walls, Ceiling, and Flooring

- ¾" Plywood Walls in Lieu of Standard ⅜" Walls
- Double ¾" Plywood Flooring
- ¾" Pressure Treated Plywood Walls in Lieu of Standard ⅜" Walls (***Floor covering on pressure treated plywood is NOT available***)
- Double ¾" Pressure Treated Plywood Flooring (***Floor covering on pressure treated plywood is NOT available***)
- ¾" Pressure Treated Plywood Ramp and Flap
- 24" Tall ¾" Plywood Kickplate on Walls
- 12" Tall ¾" Plywood Kickplate on Walls
- 12" ATP or RTP Kickplate
- Ceiling Cove Trim

- Blackout Interior Trim (*On finished interior*)
- Aluminum Walls
- Polycore Interior Walls
- 36" Carpeted Sidewalls (*Carpet NOT on full walls and floor*)
- Wall Insulation
- Ceiling Insulation
- Floor Insulation (*R-Foil with sheet metal between frame and plywood floor*)
- Thermal Cool Ceiling Liner
- Luan Ceiling Liner
- 3/8" Plywood Ceiling Liner
- Aluminum Ceiling Liner
- Polycore Interior Ceiling Liner
- 3/4" Pressure Treated Plywood Floor in Lieu of Standard Floor
- ATP/RTP/Coin Flooring (*CAUTION: Floors can be slippery! Titanium Cargo Trailers is NOT liable for slips and falls!*)
- ATP/RTP/Coin Ramp and Ramp Flap (*CAUTION: Floors can be slippery! Titanium Cargo Trailers is NOT liable for slips and falls!*)
- Steel Treadplate Flooring (*No plywood on floor*)
- ATP Covered Wheel Wells
- ATP Covered Wheel Wells Blackout Package

Interior Partition Walls

- 3/8" Plywood Finish Partition Wall (*8' long or smaller*)
- 3/4" Plywood Finish Partition Wall (*8' long or smaller*)
- .024 Aluminum Covered Partition Wall (*8' long or smaller*)

Electrical Options

- Additional 12v Dome Light
- 110v 24" LED Flat Panel Light **WITH** Ceiling Liner
- 110v 24" LED Flat Panel Light **WITHOUT** Ceiling Liner
- 12v LED Strip Light

- 12v Wall Switch
- 12v Battery with Black Plastic Box
- 12v Loading Lights (*Pair*)
- 12" 12v LED Surface Mounted Angled Light (*Exterior*)
- 24" 12v LED Surface Mounted Angled Light (*Exterior*)
- 110v Electrical Package 30 AMP:
 - (8) Space Panel Box with Lifeline and Cable Hatch
 - (2) 110v Interior Receptacles
 - (2) Panel Lights
- 110v Electrical Package 50 AMP:
 - (8) Space Panel Box with Lifeline and Cable Hatch
 - (2) 110v Interior Receptacles
 - (2) Panel Lights
- 110v Electrical Package 50 AMP:
 - (12) Space Panel Box with Lifeline and Cable Hatch
 - (2) 110v Interior Receptacles
 - (2) Panel Lights
- 110v Receptacles
- 110v GFI Receptacles (*Interior and Exterior*)
- 220v Receptacles
- 110v Wall Switch
- 15 AMP Motor Base Plug (*Up to (2) 110v Receptacles or (1) GFI - NOT included in price*) (**CAUTION: 15 AMP Motor Base Plug CAN be a fire hazard since there are no breakers to blow if overpowered!**)
- 30 AMP Motor Base Plug
- 50 AMP Motor Base Plug
- 50 AMP Lifeline Cord (**25' Long**) (*Loose*)
- 100 AMP Panel Box
- Dedicated Breaker (*Receptacle NOT included*)

- 12v or 110v Stub-Outs
- 220v Stub-Out
- Trickle Charge (**Requires Electrical Package**)
- 12v Solar Trickle Charger (***for battery***)
- Can/Round 110v Lights
- Stereo System with (6) Speakers (***4 inside and 2 outside***) (**You MUST order overhead cabinets for this option**)
- (2) Additional Speakers Interior or Exterior (***Pair***)
- 110v to 12v Convertor/Charger
- Snake Skin Wrap on Wiring
- 4500lb Winch System with Battery
- 6000lb Winch System with Battery

Shelves

- Plywood Shelf in V-Nose (***Any model size***)
- Plywood Shelf in V-Nose Covered in .024 Aluminum (***Any model size***)
- 12" Deep Wrapped in .024 Aluminum with Brackets or Stationary Legs
- 24" Deep Wrapped in .024 Aluminum with Brackets or Stationary Legs
- 30" Deep Wrapped in .024 Aluminum with Brackets or Stationary Legs
- Fold Down Shelf

Cabinets

- 36" Height Base Cabinets in Front
- 18" Height Overhead Cabinets in Front
- 36" H x 24" D Base Cabinet from the start of the box
- 24" H x 18" D Overhead Cabinet from the start of the box
- Tool Box
- 3-Compartment Tool Boxes
- ½ Height Closet
- Floor-to-Ceiling Closet (***24" W x 20" D***)
- Closet Shelves

- Closet Rod
- Plywood Shelf with Lip

Windows

- 30" H x 15" W Radius Window with Tint
- 15" H x 30" W Radius Window with Tint
- 30" H x 30" W Radius Window with Tint
- 30" H x 30" W Radius Window with Tint and Egress

Concession Door Size Options

- 48" x 36" = 3' x 4' - Concession Door
- 60" x 36" = 3' x 5' - Concession Door
- 72" x 36" = 3' x 6' - Concession Door
- 96" x 36" = 3' x 7' - Concession Door
- 96" x 36" = 3' x 8' - Concession Door
- 60" x 48" = 4' x 5' - Concession Door
- 72" x 48" = 4' x 6' - Concession Door
- 96" x 48" = 4' x 8' - Concession Door

Concession Windows (Glass and Screen)

- 48" x 36" = 3' x 4' - Concession Window and Screen
- 60" x 36" = 3' x 5' - Concession Window and Screen
- 72" x 36" = 3' x 6' - Concession Window and Screen
- 96" x 36" = 3' x 7' - Concession Window and Screen
- 96" x 36" = 3' x 8' - Concession Window and Screen
- 60" x 48" = 4' x 5' - Concession Window and Screen
- 72" x 48" = 4' x 6' - Concession Window and Screen
- 96" x 48" = 4' x 8' - Concession Window and Screen

Porch Options (8.5-Wides ONLY)

- Open Porch with ATP Flooring
- Open Porch with 1/4" Steel Tread Plate Flooring

- Add Door to Porch
- Chrome ATP on Porch Ceiling
- Black ATP on Porch Ceiling
- 36" Open Rails on Porch Ceiling:
 - (1) Gate with Stepwell
 - Removable Rear Rail
- 36" Solid Half Walls on Porch:
 - (1) Gate with Stepwell
 - Solid Rear Half Wall or Removable Rear Rail
- 36" Expanded Metal Rear Fold Down Gate Ramp on Rear of Porch
- Screen Porch

Generator Doors, Baggage Doors, and Fuel Doors

- 36" x 24" Generator Door with Vent
- 36" x 34" Generator Door with Vent (*Standard Size*)
- 40" x 34" Generator Door with Vent
- Generator Prep. Package (*Interior*):
 - 36" x 34" Generator Door
 - Generator Compartment
 - Generator Slider Tray
- Generator Prep. Package (*On Tongue*):
 - ATP Generator Box (*Customers must specify measurements needed*)
 - 60" Triple Tube Tongue
- 36" x 24" Baggage Doors
- 36"x 36" Baggage Doors
- 48" x 36" Baggage Doors
- 14" X 14" Aluminum Utility Door (*Fuel Door*)
- ATP Platform on Tongue (*Requires flat front with triple tube tongue or triple extended tongue*)

Roof Vents, Side Vents, Hood Vents, and A/Cs

Nothing can be installed under a hood vent (NO receptacles, shelving cabinets, etc.)

- Non-Powered Roof Vent
- 12v Powered Roof Vent
- 110v Powered Roof Vent
- Maxxair Vent Cover (**White**)
- Brace for A/C
- Wire and Brace for A/C
- 13.5 BTU A/C with Heatstrip
- 15.0 BTU A/C with Heatstrip
- 2-Way Aluminum Side Vents Black or Aluminum
- Mini Split A/C 13k BTU
- Mini Split A/C 18k BTU
- Mini Split A/C 24k BTU
- Aluminum Cage Bracket for Mini Split
- Aluminum Cage Blackout for Mini Split
- Extended Mini Split Unit
- Wire and Brace for Future Hood Vent
- 4' Hood Vent System (***Includes wire and brace***) (***Fire suppression NOT included***)
- 5' Hood Vent System (***Includes wire and brace***) (***Fire suppression NOT included***)
- 6' Hood Vent System (***Includes wire and brace***) (***Fire suppression NOT included***)
- 7' Hood Vent System (***Includes wire and brace***) (***Fire suppression NOT included***)
- 8' Hood Vent System (***Includes wire and brace***) (***Fire suppression NOT included***)
- 9' Hood Vent System (***Includes wire and brace***) (***Fire suppression NOT included***)
- 10' Hood Vent System (***Includes wire and brace***) (***Fire suppression NOT included***)
- 11' Hood Vent System (***Includes wire and brace***) (***Fire suppression NOT included***)
- 12' Hood Vent System (***Includes wire and brace***) (***Fire suppression NOT included***)

Roof Options

- One Piece Aluminum Roof
- Walk-On Roof Package
 - 12" on Center Roof Bows
 - 3/4" Plywood in Roof
 - One Piece Roofing
- Aluminum Exterior Ladder
- Aluminum Exterior Ladder (**Black**)
- Cut Down Low Profile Ladder Racks
- Ladder Racks
- Ladder Racks (**Black**)
- Observation Deck (**Walk-on roof is required for this option**)

Exterior Clearance and Tail Lights

- Dual Tail Lights (**LED ONLY**)
- Extra Clearance Lights (**LED ONLY**)
- Backup Lights (**LED ONLY**)
- Side Turn Blinker Lights (**Pair**)

Electric Awnings

*Awnings are electric powered. Hardware colors: Black or White. Awning Colors: Solid Black and White Fade to Silver. **ASK FOR LEAD TIME + AVAILABILITY.***

- Backer Plates for Awning **ONLY**
- Solera Awning Roll 10' Awning
- Solera Awning Roll 12' Awning
- Solera Awning Roll 14' Awning
- Solera Awning Roll 16' Awning
- Solera Awning Roll 18' Awning
- Solera Awning Roll 20' Awning
- Solera Awning Roll 22' Awning

- Solera Awning Roll 24' Awning

Sink and Faucet Options

- Standard (2) Bowl 33" x 22" x 6" Stainless Steel Drop-In with Faucet
- 15" x 15" Hand Wash Sink Stainless Steel Drop-In with Gooseneck Faucet
- 17" x 15" Hand Wash Sink with Splash Guards Stainless Steel Drop-In Gooseneck Faucet
- Medium (3) Bowl with Drain Boards Stainless Steel with Faucet
- Grease Trap

Hybrid Trailer Options

Customer must specify deck and box size

- Comes with 3/4" Plywood Flooring
- Upgrade to 2" x 6" Board Flooring

Packages:

If the customer chooses to deny recommended axle upgrades, they will take full responsibility for any warranty issues related to the trailer being overloaded.

Bathroom Packages

- Full Bathroom Package (**Requires minimum of 6'**) (**Smallest size: 8.5 x 16 TA**) Add 8' **Main Frame; Recommended axle upgrade and electrical package:**
 - Complete Water Package with (2) Waste Tanks
 - Toilet
 - 34" x 34" Shower with Surround and Curved Shower Curtain Rod (***Can upgrade to a 36" x 36" for additional charge***)
 - Hand Wash Sink
 - Base Cabinet
 - Partition Wall with White Metal and 24" Door
 - Covered Plumbing and Tank with Metal
 - White Metal Walls and Ceiling
 - Coin Floor

- (2) 110v LED Can Lights, 110v Powered Roof Vent
- Toilet Paper Holder and Towel Holder
- Half Bathroom Package (***Requires a minimum of 4'***) ***Add 8' Main Frame;***
Recommended axle upgrade and electrical package:
 - Complete Water Package
 - Toilet
 - Hand Wash Sink (***Plastic Drop-In***)
 - Base Cabinet
 - Partition Wall with White Metal and 24' Door
 - Covered Plumbing and Tank with Metal
 - White Metal Walls and Ceiling
 - Coin Floor
 - (2) 110v LED Can Lights
 - 110v Powered Roof Vent
 - Toilet Paper Holder

Blackout Trim Package

- Includes:
 - Black Trim
 - Black ATP Stoneguard
 - Black ATP Noseguard
 - Black ATP Fenders
 - Black Steel Wheels

Small Sink Package

Add 8" Main Frame; Recommended axle upgrades and electrical package

- Includes:
 - Drain Boards and Splash Guards
 - 36" H Front Base Cabinet
 - Deep 3-Bowl Sink (***Stainless Steel Drop-In with 10" Faucet***)
 - 15" x 15" Hand Wash Sink (***Stainless Steel Drop-In with Gooseneck Faucet***)

Small Water Package

- Includes:
 - 21 Gallon Water Tank
 - 33 Gallon Holding Tank
 - PEX Fresh Water Plumbing and PVC Waste Water Plumbing
 - 2.5 Gallon Water Heater
 - 115v Water Pump
 - City Gravity Water Center

Large Sink Package

Add 8" Main Frame; Recommended axle upgrades and electrical package

- Includes:
 - Drain Boards and Splash Guards
 - 36" H Front Base Cabinet
 - Deep 3-Bowl Sink (***Stainless Steel Drop-In with 10" Faucet***)
 - 15" x 15" Hand Wash Sink (***Stainless Steel Drop-In with Gooseneck Faucet***)

Large Water Package

- Includes:
 - 42 Gallon Water Tank
 - 52 Gallon Holding Tank
 - PEX Fresh Water Plumbing and PVC Waste Water Plumbing
 - 6 Gallon Water Heater
 - 115v Water Pump
 - City Gravity Water Center

-Any receptacle within 5' of water must be a GFI

-For concession trailer sink package: It is the customers responsibility to check their local code requirements to ensure trailer specifications meet those requirements accordingly!

Race Package

- Includes:
 - ATP/RTP Flooring
 - ATP/RTP Ramp and Ramp Flap
 - White Metal on Walls and Ceiling
 - Wire and Brace for A/C
 - Base and Overhead Cabinets in Front
 - (2) 12v Exterior Angled Racing Lights
 - Exterior GFI
 - 50 AMP Electrical Package
 - (2) 110v 2' Flat Panel Lights
 - (1) Switch
 - 50 AMP 8-Space Panel Box with 50 AMP Motor Base Plug and Cord
 - 12v Battery
 - Trickle Charge
 - Rear Wing with (2) Lights
 - ATP Covered Wheel Wells

Other

- Floor Cable Hatch **ONLY**
- Large Propane Cage
- Large Propane Cage (**Black**)
- Removable Motorcycle Wheel Choke (*Ship loose ONLY*)



